Leamington Mennonite Home Long Term Care

POLICY AND PROCEDURE

CATEGORY:	SUBJECT:	SECTION:
Resident Care	Head Injury Routine	Н
	• •	POLICY:
		2
DATE:	Administrator's Signature:	
June 2015		

HEAD INJURY ROUTINE

POLICY:

To recognize promptly changes indicative of rising intracranial pressure or shock.

DEFINITION OF HEAD INJURY:

Any sudden impact of blow to the head, with or without loss of consciousness, is considered a head injury.

PROCEDURE: The Registered Staff shall complete the Head Injury Routine on any witnessed fall affecting the head and unwitnessed fall affecting any cognitively impaired resident.

RN to do the following:

- 1. Determine vital signs of resident temperature, pulse, respiration, and blood pressure. NOTE: If calling the ambulance, do not remove the resident from location except to avoid further hazard.
- 2. Determine level of consciousness and pupil size and reaction.
- 3. Notify physician for further instructions, or send resident to hospital for assessment, if condition warrants. Notify physician of transfer. Hold all sedation until consultation with physician.
- 4. If resident is placed on head injury routine, observe and chart the following. Frequency of observation to be as follows unless determined by physician: q2hr x 4 hrs; q8hr x 24 hrs; q12hr x 24 hrs; q12hr x 48 hrs.
 - Temperature, pulse, respiration, blood pressure. If temperature normal, take q8hr x 24 hrs.
 - Pupil size, measure in mm.
 - Pupil response, e.g., reacts briskly or slowly, does not react to light. If glaucoma or cataracts, do not assess, but note in documentation. NOTE: Pupil reaction may be inaccurate due to glaucoma or cataracts.
 - Limb movement (upper and lower limbs), e.g., equal, strong, weak, paralysis.

- Level of consciousness, e.g., alert, easily aroused, drowsy, increased confusion, responds to directions. **NOTE: Monitoring for 48 hours allows** for assessment in case of a slow bleed.
- 5. Notify the physician if there is a sudden change in vital signs and neurological assessment, or if the resident:
 - becomes increasingly restless, irritable, or confused.
 - becomes nauseated or vomits.
 - displays abnormal shaking movements or has a seizure.
 - complains of dizziness and/or visual disturbances.
 - has gradually increasing BP, either systolic or diastolic.
 - complains of a severe headache lasting more than four hours after head injury.
 - has progressive weakness or paralysis of extremities.
 - has a temperature above 37.8° C.
 - develops a stiff neck or cannot be easily roused.
- 6. Document observations on Head Injury Routine Record (H.I.R. R.) form and progress notes. Accurate sequential documentation is critical for medical assessment.

NOTE: If a slow bleed, changes may occur even after 48 hours, therefore ongoing assessment is important.

NOTE: In discussion with Dr. Holloway, he has approved Tylenol as long it does not have codeine in it.

Leamington Mennonite Home

Head Injury Routine Record

(H.I.R.R.)

Location:

Date / Time	Temperature	Pulse	Respiration	Blood Pressure	Pupi Size		Pupil Respo	L onse	Moto Uppe Limb	er	sponse Lowe Limb	r	Conscious Level	Remarks/Signature
					Rt	Lt	Rt	Lt	Rt	L t	Rt	L t	-	
													İ	

Pupil Size (mm) 1 2 3 4 5 6 7

	R	Racing
Pupil	RB	Reacting Briskly
Response		
	RS	Reacting Slowly
	F	Fixed

	S	Strong
Motor	М	Moderat
		е
Response		
	W	Weak
	A	Absent

Resident Name: ___

	1	Alert	6	Responds Verbally
Conscious	2	Oriented	7	Moves to Command
	3	Confused	8	Decerebrate Response
	4	Restless	9	No Response
	5	Drowsy	1	

HEAD INJURY ROUTINE RECORD INSTRUCTIONS

PURPOSE:

To ensure accurate recording of a resident's condition.

PROCEDURE:

- 1. Obtain the Head Injury Routine Record form (H.I.R.R.).
- 2. Complete the identification section. All entries must be made in ink.
- 1. Enter date, time, and frequency of observation, to be determined by the physician Frequency of observation to be as follows unless determined by physician: q2hr x 4 hrs; q8hr x 24 hrs; q12hr x 24 hrs; q12hr x 48 hrs.
- 3. Record pulse, respiration, blood pressure.
- 4. **Pupil size:** refer to comparative size at the bottom of the form and enter corresponding number.
- 5. **Pupil Response**: use code.
- 6. Motor Response: use code.
- 7. Consciousness Level: use code.
- 8. Enter any other remarks and sign with full signature and date.
- 9. File in nurses' notes follow through with charting.